THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of:

Gail M. Cunningham

Serial No.

09/841,518

Filed:

April 24, 2001

Confirmation No.:

5647

For:

FLUID-BORNE NOISE SUPPRESSION IN AN AUTOMOTIVE POWER STEERING SYSTEM

Attorney Docket No.:

5196-01 FSP

Group Art Unit:

1733

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

On: October 29, 2004

Diana Castillo

Assistant Commissioner for Patents Alexandria, VA 22313-1450

Sir:

PETITION

This is a Petition for status information on the subject application and, if necessary, for reconstruction of the application file. Inasmuch as the PTO has thus far been unable to provide status information on the subject application or, apparently, to determine whether the application file is lost, it is believed that there should be no fee associated with this Petition. In the event that any fees are due, the same may be charged to Account No. 50-0852.

This application was filed on April 24, 2001 (copy of Filing Receipt enclosed).

Applicant filed a first Status Inquiry on September 23, 2002 (copy of Receipt Card enclosed). No status information was supplied by the PTO.

The Applicant filed a Second Status Inquiry on March 11, 2003 (copy of Receipt Card enclosed). Again, no status information was supplied by the PTO in response to this Second Status Inquiry.

Applicant's representative has been in contact with various PTO employees, by telephone, concerning the status of this application, from April 29, 2004 to October 26, 2004. Enclosed are copies of two pages of notes concerning these telephone calls, identifying the dates and the persons with whom the status of the application was discussed. Based upon this information, it appears that the PTO file on the present application may be "lost," at least in the sense that the file can not be located.

The application has now been on file for about three and one-half years without an Office Action having been received. It is believed and respectfully submitted that applicant is entitled to examination of his patent application.

Enclosed are complete copies of the Text, Drawings, Application Transmittal Sheet, Fee Transmittal Sheet, Request and Certification, Declaration, Power of Attorney and Information Disclosure Statement initially filed in the present application. It is hereby certified that these enclosed materials are true copies of the originally filed documents. (The originally filed documents also included copies of the U.S. patent documents cited in the IDS, but copies of these materials are no longer required under current practice.)

Applicant therefore respectfully petitions: (1) for an explanation of the status of the subject application, and (2) for reconstruction of the application file from the enclosed materials if necessary to begin the examination process.

Respectfully submitted,

REISING, ETHINGTON, BARNES, KISSELLE, LEARMAN & McCULLOCH, P.C.

By:	
Robert C. Collins	

Robert C. Collins Reg. No. 27,430 (248) 689-3500 (248) 689-4071(fax)

RCC/dc

Approv U.S. Patent and Trademai.

irough 10/31/2002. OMB 0651-0032

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PATENT APPLICATION
TRANSMITTAL

(Sin for new nonprovisional applications under 37 C.F.R.

Attorney Docket No.		No.	5196-01 FSP
First Inventor Gail			M. Cunningham
Title	Fluid-Bo System	me No	oise Suppression in an Automotive Power Steering
Evone	es Mail I ah	el Na	EL606427252LIS

for n	ew nonprovisions	l applications under 3	C.F.R. 1.53(b))	Express Mail	Label No.	EL60642	7252US		
See MPEP o		ICATION ELEN		ADDF	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231				
1. \(\begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \beta \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Fee Transmittal Submit an original at Applicant claims See 37 CFR 1.2 Specification preferred arrange Descriptive title of Cross Reference Statement Regar Reference to see	Form (e.g., PTO/SE at a duplicate for fee process small entity status. To a ment set forth below) of the Invention to Related Application ding Fed sponsored Requence listing, a table,	3/17) essing) / Pages 2]	8. Nucl (<i>if ap</i> a.	 7. ☐ CD-ROM or CD-R in duplicate, large table or Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary) a. ☐ Computer Readable Form (CRF) b. Specification Sequence Listing on: i. ☐ CD-ROM or CD-R (2 copies); or ii. ☐ paper c. ☐ Statements verifying identity of above copies 				
	Background of th	ogram listing appendix e Invention			ACCOM	PANYIN	G APPL	ICATIONS PARTS	
	Brief Summary o	f the Invention of the Drawings (if file tion	d)	9. 🛭	37 C.F.R (when the	.§3.73(b) ere is an	Statem assigne	e) Attorney	
5. Oath or	Drawing(s) (35 L	[Total	I Sheets 3	12. 🛛	Information Statemer Prelimina	on Disclo nt (IDS)/P	sure TO-144	ment (if applicable) ⊠ Copies of IDS Gitations	
·		ed (original or copy)		14.		•		MDED 503)	
i. [(for a continue) DELETION Signed statement in the properties of t	rior application (37 (ation/divisional with long INVENTOR(S) ant attached deleting in rior application, see 37 (1.33(b).	Box 18 completed) (i) ventor(s) CFR	1 -	(Should be specifically itemized) 15. Certified Copy of Priority Document(s) (if foreign priority is claimed) 16. Request and Certification under 35 U.S.C. 122 (b)(2)(B)(i). Applicant must attach form PTO/SB/35 or its equivalent.				
0. [_] Ap	plication Data 3	ileet. See 37 CFR	1.76	17.	Other:				
or in an App ☐ Conti Prior ap For CONTIN under Box \$	olication Data Sh inuation plication informati NUATION or DIVI 5b, Is considered	neet under 37 CFR 1. Divisional Con: Examiner SIONAL APPS only: 1	76: ☐ Continuation-in-pa —— The entire disclosure of the accompa	art (CIP) e of the prior a	of p <i>Gro</i> application,	orior application Art Ur	ation No:	th or declaration is supplied	
			17. CORRESPO				·····		
☐ Custon	ner Number or Ba		ert Customer No. or	Attach bar code	label here)	or (⊠ Coi	respondence address below	
Name	Robert C. Co	llins							
Name	Reising, Ethir	ngton, Barnes, Kisse	lle, Learman & Mo	Culloch, P.C.					
Address	P.O. Box 439	0				· .			
City	Troy		04-4-	МІ				49999 4999	
Country	US		State Telephone	(248) 689-	3500	Zip Cod		48099-4390	
		<u> </u>	- Giepriorie	(240) 089-	3300	/-	1X	(248) 689-4071	
Name (Pi	rint/Type)	Robert C. Collins		Registration	No. (Attor	ney/Ager	nt)	27,430	
Signature	Signature Date 4/24/6/								

Burden Hour Statement: This form is extracted to take 0.2 hours to complete. Time will vary depending upon the needs of the inflivid ual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Complete If Known

FEE TRANSMITTAL for FY 2001

Patent fees are subject to annual revision.

iling Date	Herewit
irst Named Inventor	60

Examiner Name Group / Art Unit

Application Number

TOTAL AMOUNT OF PAYMENT (\$)

750

Attorney Docket No.

	METHOD OF PA	AYMENT (check one)				FEE C	ALCULATION (continued)	
		oner is hereby authorized to charge	3. ADD	3. ADDITIONAL FEES				
1. 🖾		and credit any over payments to:	o: Large			Small		l
			Fee	Entity Fee	Fee	Entity Fee		Fee
Deposit	50.0050		Code	(\$)	Code	(\$)	Fee Description	Paid
Account Number	50-0852		105	130	205	65	Surcharge - late filing fee or oath	
			127	50	227	25	Surcharge - late provisional filing fee or cover sheet.	
Deposit Account		gton, Barnes, Kisselle, Learman &	139	130	139	130	Non-English specification	
Name	McCulloch, PC		147	2.520	147	2,520	For filing a request for reexamination	
Chame Any	Additional Fee F	Required	112	920*	112	920*	Requesting publication of SIR prior to	
	FR 1.16 and 1.1		1''-		· · -	725	Examiner action	
Applicant cl See 37 CF	iaims small entity R 1.27	y status.	113	1,840*	113	1,840*	Requesting publication of SIR after Examiner action	
	t Enclosed:		115	110	215	55	Extension for reply within first month	
			116	390	216	195	Extension for reply within second	
⊠ Check	☐ Credit card	Money Other Order					month	
	FEE CA	ALCULATION	117	890	217	445	Extension for reply within third month	
1. BASIC FILI	NG FEE		118	1,390	218	695	Extension for reply within fourth month	
Large Entity S	mail Entity		128	1,890	228	945	Extension for reply within fifth month	
	ee Fee	Fee Description	119	310	219	155	Notice of Appeal	
	ode (\$)	Fee Paid	120	310	220	155	Filing a brief in support of an appeal	
		Utility filing fee 710	121	270	221	135	Request for oral hearing	
1		Design filing fee Plant filing fee	138	1,510	138	1,510	Petition to institute a public use proceeding	
		Reissue filing fee	140	110	240	55	Petition to revive - unavoidable	
1		Provisional filling fee	141	1,240	241	620	Petition to revive - unintentional	
		· L	142	1.240	242	620	Utility issue fee (or reissue)	
	SUBTOTA	L (1) (\$) 710	143	440	243	220	Design issue fee	
- EVERA 81 4111			144	600	244	300	Plant Issue fee	
2. EXTRA CLAIM	FEES	Extra Fee from Fee	122	130	122	130	Petitions to the Commissioner	
		Claims below Paid					Petitions related to provisional	
Total Claims 7	-20** =	0 X = 0	123	130	123	130	applications	
Independent Claims 2	-3** =	0 X = 0	126	180	126	180	Submission of Information Disclosure Stmt	
Multiple Dependent	<u>-</u>	X = 0	581	40	581	40	Recording each patent assignment per property (times number of properties)	40
Large Entity Fee Fee	Small Entity Fee Fee	•	146	710	246	355	Filing a submission after final rejection (37 CFR § 1.129(a))	
Code (\$) 103 18	Code (\$) 203 9	Fee Description Claims in excess of 20	149	710	249	355	For each additional invention to be	
103 18	203 9	Independent claims in excess of 3					examined (37 CFR § 1.129(b))	\vdash
102 80	202 40	Multiple dependent claim, if not paid	179	710	279	355	Request for Continued Examination (RCE)	
		** Reissue independent claims over	169	900	169	900	Request for expedited examination	
109 80	209 40	original patent		•		=	of a design application	
110 18	210 9	** Reissue claims in excess of 20 and over original patent	•					
SUBTOTAL (2) (\$) 0 Other fee (specify)								
			-Reduc	ed by Ba	sic Filin	o Fee Da	id SUBTOTAL (3) (5) 40	
"or number previou	sly paid, if greater	For Reissues, see above		, 50		g. 00 FE	id SUBTOTAL (3) (\$) 40	

SUBMITTED BY	· · · · · · · · · · · · · · · · · · ·			Co	mplete (if applicable)
Name (Print/Type)	Robert C Cellins	Registration No. Atterney/Agent)	27,430	Telephone	248-689-3500
Signature	12/1/	7/200		Date	4/24/61

WARNING: Information on this form seep become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

REQUEST AND CERTIFICATION
UNDER
35 U.S.C. 122(b)(2)(B)(i)

Title Fluid Borne Noise Suppress.

Atty Docket Number 5196-01 FCP

I hereby certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral agreement, that requires publication at eighteen months after filing. I hereby request that the attached application not be published under 35 U.S.C. 122(b).

4/24/6/ Date

Robert C. Callins

Typed or printed name

This request must be signed in compliance with 37 CFR 1.33(b) and submitted with the application upon filing.

Applicant may rescind this nonpublication request at any time. If applicant rescinds a request that an application not be published under 35 U.S.C. 122(b), the application will be scheduled for publication at eighteen months from the earliest claimed filing date for which a benefit is claimed.

If applicant subsequently files an application directed to the invention disclosed in the attached application in another country, or under a multilateral international agreement, that requires publication of applications eighteen months after filing, the applicant must notify the United States Patent and Trademark Office of such filing within forty-five (45) days after the date of the filing of such foreign or international application. Failure to do so will result in abandonment of this application (35 U.S.C. 122(b)(2)(B)(iii)).

Burden Hour Statement: This collection of information is required by 37 CFR 1.213(a). The information is used by the public to request that an application not be published under 35 U.S.C. 122(b) (and the PTO to process that request). Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.14. This form is estimated to take 6 minutes to complete. This time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Plasse type a plus sign (+) moude the POL

PTO/8801 (10-00)

Approved for use through 10/31/2022 OMB (651-0/32 U.S. Pasers and Tredemant Office; u.S. DEPARTMENT OF COMMERCE UNDER the Perpenwork Reduction Act of 1995, no persons are required to respond to a collection of information unless a contains a valid QMB control number.

			Attorney Docket Nun	nber 5196-01 FSP				
DECLARA"		I FOR UTILITY OR SIGN	First Named Inventor	Gail M. Cunningham				
PATE		PPLICATION	COMPLETE IF KNOWN					
	(37 CFR 1.63)		Application Number	1				
□ Deciaration	OR	☐ Declaration	Filing Date	Herewith				
Submitted With Initial	UK	Submitted after Initial Filing (surcharge	Group Art Unit					
Filing		(37 CFR 1.16 (e)) required)	Examiner Name					

As a below named inventor, I hereby declare that:											
My residence, post office address, and citizenship are as stated below next to my name.											
I pelieve I am the onginei, first and sole inventor (if only one name is listed below) of an onginei, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled.											
Fluid-Borne Noise Suppression in an Automotive Power Steering System											
the specification of which (Title of the Invention)											
🗵 ıs attached hereto											
OR											
was filed on (MM/PD/)	m, [as United States A	ppication Number of	PCT Internation	u						
Application Number	and	was amenged on (MM/DD/)	m	(fapplicable)						
i nereby state that I have review specifically referred to above	and understand the conta	nts of the above identified si	pecification, including	g the claims as ar	Debnen						
l acknowledge the duty to disclo applications, material information international filing data of the co-	i which decame evaliable de	nal to patentability as define tween the filing date of the p	4 in 37 CFR 1.55, in Mor application and	ding tot coultui	Tageni-nogar						
I hereby claim foreign phority be or \$65(a) of any PCT internation and have also identified below, application having a filing date of	ial application which designs by checking the box, any for	eigh abblication for palent ou	er unain ina Universi a	SIBLES OF AUTOMA	HORDY POPUM						
Prior Foreign Application		Foreign Filing Date	Priority	Certified Copy	Asschea?						
Numper(\$)	Соипиу	(ММ/РОЛУУУ) Сонпру	Not Claymod	YEŞ	NO						
·											
Additional foreign application	numbers are listed on 8 Sup	plemental priority data shee	t PTO/SB/02B attac	hed hereto							
I hereby claim the benefit under											
Application Number(s)											
Application Number(s) Filing Date (MM/DD/YYY) 60/200,122 04/27/2000 Additional provisional application numbers are listed on a supplemental priority data she PTD/SB/028 attached hereto											

[Page 1 of 2]

Burden Hour Statement. This form is estimated to take 21 minutes to complete Tene was very depending upon the needs of the individual case. Any comments on the amount of time you are required to complete that form should be set to the Chief Information Officer, U.S. Peters and Tragement Officer, Washington, OC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assistant Commissioner for Patients, Washington, DC 20231.

Appropriate in the process of the Control of the Co -- Utility or Design Patent Application Datect all coursebountaines to 23599 Companience applican peace OF BEI COSP LEDER Relaing, Ethington, Barnes, Kisselle, Loarman & McCulloca, PC Name Address PQ Box 4390 Adaroca CRY Tray State 1 Michigan ZIP 48089-4390 COUNTRY US Telephone (248) 888-9500 FEE (248) 589-4071 I full by exercise that all enforcements are post refer to the suppression of the suppression in the suppression of the suppres STORESTOR OF MY PROMIT GO SO BICIGOT. NAME OF SOLE OR FIRST INVENTOR A bear into pool yet to the heading unethor Given Name Gau M Family Manue Cunningham शिक्स काले मानवाल कि काली or Surname **AVENCO**'S Dane Signature nnen Residence: City Oxford M STATE COUNTRY U9 US Esonda enlies 1149 Brookside Court Mailing Address धंश करीयार्च State MI ZIP 48371 Country US NAME OF SECOND INVENTOR A patrion has been filed for this unsigned inventor Given Name Family Name or Burname (Line is alphin and and Date inventor's Signature Residence: City State COLINEY Chizenship Mainne Address Mailing Address City State 21 Сорину

Coppering the Additional Inventorial Empires PTD/SB/02A prompting named

OR NO DOBLET EXPENDE THE SPEEDWARD INTO JOH

. Please type a plus eign (+) maide this box

PTO/SERS (10-00)

Approved for use through 10/31/2002 OME 0651-0035

U.S., Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Parchyork Reduction Act of 1995, no persons are required to respond to a coloration of information unless it displays a valid OMB control number.

	Application Number	
	Filing Date	Herewith
POWER OF ATTORNEY OR	First Named Inventor	Gail M. Cunningham
AUTHORIZATION OF AGENT	Group Art Unit	
	Examiner Name	
	Attorney Docket Number	

<u> </u>									
i hereby a	ppoint.					Place C	ustomer		
	oners at Cu	stomer Number	23399				Bar Code		
<i>OR</i> ⊠ Practitio	oner(s) nam	ed below				F#1001 110			
		Nam	8		Registrati	on Number			
		Robert C.	Collins		27,	430			
		William J. W	augaman		20,	304			
		Robert M. I	-eonardi		27,	815			
ί.		Phillip A. R	lotman II		38,	290			
		or agent(a) to pro sected therewith.	secute the application	identific	d above, and to	transac; a	li busi ness in	the Patent and	
	Please change the correspondence address for the above-identified application to: The above-mentioned Customer Number. OR								
Firm or Individu	ıal Name	Robert C. C	ollins						
Address		PO Box 438	0						
Address			· .						
City		Troy		State	Michigan	ZiP	48099-43	390	
Сочпіту		us			•	_			
Telephone		(248) 689-3	500	Fax	(248) 689-4	071			
I am the Applicant. Assignee of record of the entire interest. See 37 CFR 3.71. Certificate under 37 CFR 3.73(p) is enclosed. (Form PTO/SB/96)									
- Corun	DELO GIOGI		IGNATURE Of Applic			ord			
Name	Gairm	Cunningham							
Signature	17/	Doll	uningh						
Date	The state of the s								
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required Submit multiple forms if more than one signature is required, see below.									
☐ Total	of fo	rms are submitti	ed.						

Burden Your Schiement: This form is estimated to take 3 minutes to complete. Time will vary depending upon the needs of the individual case. Any Comments on the binount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patient and Trademark Officer, Washington, DC 2023). DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO Assessed Commissioner for Patients, Washington, DC 2025).

			
FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TI 11 ARK OFFICE	ATTY. DOCKET NO. 5196-01 FSI	SERIAL NO.
	ORMATION DISCLOSURE TEMENT BY APPLICANT	APPLICANT GAIL M.	CUNNINGHAM
(Use	e several sheets if necessary)	FILING DATE	GROUP
(37 CFR 1.98(b))		Herewith	

U.S. PATENT DOCUMENTS

EXAMINER INITIAL	PA	TEI	NT 1	√UM	BEF	R		ISSUE DATE	PATENTEE	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	3	5	9	9	6	7	7	08/1971	O'Brien			
	3	6	0	5	8	1	8	09/1971	Balchan			
	3	9	4	8	2	9	3	04/1976	Bixby			
	4	0	3	5	5	3	4	07/1977	Nyberg			
	 4	0	8	9	3	6	0	05/1978	Böhm			
	4	1	9	6	7	5	4	04/1980	Payne			
	4	2	8	7	2	1	7	09/1981	Hammer et al.			
	4	3	2	2	2	6	0	03/1982	Conlon.			
	4	4	5	7	7	9	9	07/1984	Dunn			
	4	5	5	9	0	9	5	12/1985	Babbin			
	4	6	0	3	7	1	2	08/1986	Krause			
	4	6	3	3	9	1	2	02/2987	Pilkington et al.			
	4	6	5	7	2	8	5	04/1987	Akiyama et al.			
	4	6	8	8	6	0	5	08/1987	Eisenzimmer et al.			
	 4	7	3	4	3	0	5	03/1988	Sugimoto et al.			
	4	8	7	0	9	9	5	10/1989	Igarashi et al.			
	4	9	9	8	5	6	5	03/1991	Kokuryu et al.			
	5	0	9	3	4	2	6	03/1992	Sakabe et al.			
	5	1	7	1	7	8	7	12/1992	Zama et al.			
	5	1	7	2	7	2	9	12/1992	Vantellini			
	5	2	0	1	3	4	3	04/1993	Zimmermann et al.			
	5	3	1	6	0	4	6	05/1994	Igarashi et al.			
	5	3	7	6	7	3	0	12/1994	Niwano et al.			
	5	5	2	1	3	4	0	05/1996	Thawani et al.			
	6	1	5	5	3	7	8	12/2000	Qatu et al.			

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



5

10

15

20

25

FLUID-BORNE NOISE SUPPRESSION IN AN AUTOMOTIVE POWER STEERING SYSTEM

This application claims priority from Provisional Application Serial No. 60/200,122 filed April 27, 2000

The present invention is directed to suppression of fluid-borne noise in an automotive power steering system, and more particularly to a power steering pressure hose and method of manufacture having improved fluid-borne noise dampening characteristics.

Background of the Invention

Present day automobile power steering systems use power steering hoses that are constructed and/or provided with acoustic chambers and the like so as to, in varying degrees, dampen noise generated by the power steering pump and/or steering gear. The prior art is replete with a relatively long history of disclosures that describe devices incorporated inside the power steering hose or connected in line with the power steering hoses to dampen this noise. See for example U.S. Patent Nos. 5,521,340 and 5,172,729 and earlier patents cited as references therein. However, as to improvements in the construction of the power steering hose itself, the emphasis has been in the direction of developing improved heat resistance, which in turn should result in longer service life in the adverse automotive engine compartment environment. To achieve this, higher temperature materials such as chlorosulfonated polyethylene and hydrogenated nitrile have been used.

The power steering hose constructions usually consist of an annual laminate made up of a multiplicity of concentric tubular members, such as an innermost tube, a tubular reinforcement layer, a tubular friction layer, a second tubular reinforcement layer and a tubular outside cover layer. In some instances, the innermost tube of the hose itself is made up of two separate layers. These layers may be coextruded to provide a high temperature innermost material that would come in contact with the power steering fluid, backed up by a lower cost surrounding material to provide the necessary tube strength. See in this regard the U.S. Patent 5,316,046, issued May 31, 1994. See also U.S. Patent 4,998,565 and the prior art cited in the aforementioned '046 patent.

Summary of the Invention

In general, and by way of summary description and not by way of limitation, the present invention achieves the aforestated, as well as one or more additional objects set forth hereinafter, by providing a power steering hose construction that has improved noise dampening properties achieved by using a material for the innermost tube of the multilayer inner tube of the hose construction that has improved noise dampening properties, such as an ethylene/acrylic elastomer, without scarificing the resistance of the hose construction to high temperature fluid. This innermost tube preferably is bonded through vulcanization to a surrounding tube of material that possesses lesser noise dampening characteristics but provides other desirable physical characteristics in the composite hose construction. The dampening characteristics of the hose can be varied by varying the relationship of the radial wall thicknesses, relative to one another, of the inner and outer tubes of the multilayer innermost tube of the hose.

A method of dampening fluid-borne noise in an automotive power steering system in accordance with a presently preferred embodiment of the invention contemplates provision of a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube. The inner tube has a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 . The inner layer is softer than the outer layer and is bonded by vulcanization to the outer layer. The radial thicknesses T_1 and T_2 have a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic expansion of the inner and outer layers.

Brief Description of the Drawings

25

30

5

10

15

20

The foregoing as well as additional objects, features and advantages of the present invention will become apparent from the following detailed description of the present invention taken in conjunction with the accompanying drawing wherein:

- FIG. 1 is a schematic diagram of an automotive power steering system equipped with a power steering pressure hose in accordance with the present invention.
- FIG. 2 is a fragmentary perspective view of a power steering hose construction embodying the hose construction features of the invention to provide improved noise dampening properties.
 - FIG. 3 is a cross sectional view taken on the line 2-2 of FIG. 1 but not to scale.

FIGS. 4-6 are graphs that illustrate test results in accordance with a presently preferred embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

5

٧÷

FIG. 1 is a schematic diagram of an automotive power steering system 30. A pump 32 draws fluid from a sump 34 and delivers the fluid under pressure through a conduit 36 to a steering gear 38. From steering gear 38, the fluid is returned to sump 34 by a conduit 40.

10

15

Referring now to FIGS. 2 and 3 of the drawing, there is shown a power steering hose 10 constructed as an exemplary but presently preferred embodiment of the invention to serve as an improved conduit 36 and/or 40 (FIG. 1) for power steering fluid in automotive power steering system 30. Hose 10 includes multilayered inner tube 12 made up of an inner tubular layer 14 and an outer tubular layer 16, two concentric tubular braided reinforcement layers 18 and 20, and an outer tubular cover 22. If desired, an insulation rubber layer (not shown) may be disposed between the reinforcement layers 18 and 20, as illustrated in aforementioned U.S. Patent 5,316,046 (incorporated herein by reference). As best seen in the cross sectional view of FIG. 3, the wall thickness of inner layer 14 of tube 12 taken radially of the same is designated "T1". Likewise, the wall thickness of the outer layer 16 of the multilayer inner tube 12 taken radially of the same is designated "T2".

20

25

Instead of (or in addition to) attempting to provide sound deadening devices incorporated inside the hose or connected in line with the power steering hoses to dampen system noise generated by the power steering pump and/or steering gear, the present invention achieves noise dampening in the power steering hose by using a material for inner layer 14 of the multilayer tube 12 that has good noise dampening properties, such as an ethylene/acrylic elastomer, but without sacrificing the resistance of the hose construction to high temperature power steering fluid. Thus inner tube layer 14 is bonded through vulcanization to a surrounding material (described in more detail hereafter) used in the construction of the outer layer 16 of tube 12, which possesses lessor noise dampening characteristics but that can withstand high temperatures and thereby provides hoop strength reinforcement under such adverse temperature conditions.

30

In addition, the invention contemplates varying the noise dampening ability of hose 10 by adjusting the thickness T_1 of the inner layer 14 of tube 12 in relation to the thickness T_2 of the outer layer 16 of tube 12. The multilayer tube 12 may be made by a

coextrusion process and apparatus such as that disclosed in U.S. Patent 4,322,260 incorporated herein by reference. This multilayer inner core 12 may then be covered with the tubular reinforcement layers 18 and 20 in the form of a braid or spiral or woven material to provide reinforcement. The hose noise dampening ability can be enhanced further by using a reinforcement yarn in layers 18 and 20 such as nylon applied in such a manner as to allow for expansion of the hose under pressure. The expansion of the hose can be controlled through the amount of elongation of the yarn and the angle at which it is applied. See, for example, U.S. Patent 4,633,912 also incorporated herein by reference.

5

10

15

20

25

30

The hardness of the inner layer 14 of the multilayer inner tube 12 is preferably in approximately the range of 70-80 durometer. A durometer value below 70 may be too soft to obtain an adequate seal, whereas a durometer value above 80 renders it more difficult to manufacture the extruded layer and provides less noise dampening properties.

Outer layer 16 of inner tube 12 is preferably made of a peroxide-vulcanized acrylonitrile-butadiene copolymer rubber (NBR) that provides strength and high temperature resistance to the multilayer tube 12. Layers 14 and 16 of the multilayer tube 12 preferably are coextruded and bonded together through vulcanization after coextrusion. The two layers of braided material 18 and 20 provide hoop strength to the overall hose construction to achieve a burst pressure on the order of 8,000 to 10,000 psi and are preferably made of suitable synthetic fibers such as high elongation nylon. Outer cover 22 is preferably made of chlorinated polyethylene (CPE).

The ratio of the thickness T_1 of the inner layer 14 to the thickness T_2 of the outer layer 16 of the multilayer tube 12 preferably is selected at an empirically determined value in view of the desired noise dampening characteristics of hose 10 and the inside diameter of the multilayer inner tube 12. This empirical determination may be made by physical experimentation and/or analytical computer modeling. Hence, it is necessary that the minimum thickness for inner layer 14 be empirically determined to provide sufficient heat resistance and oil resistance, and more importantly the desired noise dampening characteristics. On the other hand, the outer layer 16 would have an empirically determined minimum thickness that would ensure sufficient adhesion to the inner layer 14 and to the reinforcement layer 18.

The ratio of $T_1:T_2$ is preferably approximately in the range of 30:70 to 70:30, with a preferred example being a mid-range ratio of 50:50. In any event the ratio can be further optimized and tuned to the particular vehicle power system to maximize noise dampening under the parameters of operation of a particular vehicle system.

FIGS. 4-6 are graphs that illustrate results of testing an automotive power steering hose in accordance with the present invention in comparison with currently available hoses for power steering applications. All hoses were 400 mm in length, and were tested in accordance with ISO 10767-1. Each graph of FIGS. 4-6 illustrate transmission loss TL (no units) as a function of frequency. The higher the transmission loss, the better the noise, vibration and harshness (NVH) characteristics of the hose. FIGS. 4 and 5 illustrate test results 50 for a hose in accordance with the present invention in comparison with various standard commercially available hose constructions. In each test, the hose in accordance with the present invention exhibited greatly superior dampening characteristics in the frequency range of about 300 to 400 Hz, which is the frequency range associated with "moan" of power steering systems.

5

10

15

20

25

FIG. 6 illustrates test results 50 of the hose in accordance with the present invention in comparison with commercially available hoses equipped with noise-suppression "tuners" of the type illustrated for example in US Patent 6,155,378. Once again, in the frequency range of about 300 to 400 Hz associated with objectionable "moan" noise in power steering systems, the hose in accordance with the present invention exhibited noise suppression properties superior to those of "tuned" hoses.

From the foregoing description it will be seen that high temperature and pressure power steering hose constructions have been in production for a number of years, and likewise that it is well known in the art to provide the capability to coextrude two different materials at the same time. The invention takes advantage of this prior knowledge in the art but improves upon it by employing two different materials and a selected ratio of respective laminate wall thicknesses in the innermost multilayer tube 12 of a multilaminate hose. Those two materials possess different degrees of noise dampening properties to help create the amount of noise dampening desired from the power steering hose and still maintain the high temperature fluid aging and fluid sealing properties required for prolonged service life of the hose in power steering automotive environments.

CLAIMS

1

2

3

4

5

6

7

8

1

1.

A method of dampening fluid-borne noise in an automotive power steering system which comprises directing power steering fluid through a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube, said inner tube having a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 , said inner layer being softer than said outer layer and being bonded by vulcanization to said outer layer, said radial thicknesses T_1 and T_2 having a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic radial expansion of said inner and outer layers.

2.

The method set forth in claim 1 wherein said ratio is in the range of 30:70 to 70:30.

3.

The method set forth in claim 2 wherein said ration is 50:50.

4.

The method set forth in claim 1 wherein said inner layer has a hardness in the range of 70 to 80 diameter.

5.

The method set forth in claim 1 wherein said preselected frequency range is 300 to 400 Hz.

The method set forth in claim 1 wherein said inner tube is of ethylene/acrylic elastomeric container, and said container tube is of peroxide-vulcanized acrylomitrile-butadiene copolymer.

7.

A method of making a power steering pressure hose having a predetermined fluid-borne noise dampening characteristics, which comprises the steps of:

- (a) providing a laminated inner tube having an inner layer with a radial thickness T_1 and an outer layer with a radial thickness T_2 , said inner layer having a hardness in the range of about 70 to 80 durometer, and said radial thickness T_1 having a ratio to said outer thickness T_2 in the range of about 30:70 to 70:30, and
- 7 (b) surrounding said inner tube with an outer reinforcing tube.

3


4

5

6

Abstract of the Disclosure

A method of dampening fluid-borne noise in an automotive power steering system in accordance with a presently preferred embodiment of the invention contemplates provision of a power steering fluid hose having a laminated inner tube surrounded by a reinforcing outer tube. The inner tube has a resilient inner layer with a radial thickness T_1 and a resilient outer layer with a radial thickness T_2 . The inner layer is softer than the outer layer and is bonded by vulcanization to the outer layer. The radial thicknesses T_1 and T_2 have a ratio selected to dampen fluid-borne noise within a preselected frequency range by elastic expansion of the inner and outer layers.






FIG.4




FIG.5




FIG.6

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

OIPE SEP 2 3 2002 Certificators of Maili

DESCRIPTION OF PAPER: Status Inquiry and Certificates Mailing

NAME OF APPLICANT: Gail M. Cunningham

INTF. OR SERIAL NO.: 09/841,518

DATE: 09-16-02 ATTY.: RCC

Dana 5196-01



United States Patent and Trademark Office

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231

www.uspta.gov

APPLICATION NUMBER FILING DATE GRP ART UNIT FIL FEE REC'D ATTY.DOCKET.NO **DRAWINGS** TOT CLAIMS IND CLAIMS 5196-01 09/841,518 04/24/2001 1733 710 3 7 2 FSP

Robert C. Collins
Reising, Ethington, Barnes,
Kisselle, Learman & McCulloch, P.C
P.O. Box 4390
Troy, MI 48099-4390

JUN 2 2 2001 loch, P.C. PH 075-)

CONFIRMATION NO. 5647

FILING RECEIPT
OC000000006192708

Date Mailed: 06/18/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Gail M. Cunningham, Oxford, MI;

Domestic Priority data as claimed by applicant

THIS APPLN CLAIMS BENEFIT OF 60/200,122 04/27/2000

Foreign Applications

If Required, Foreign Filing License Granted 06/15/2001

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

Title

Fluid-borne noise suppression in an automotive power steering system

DOCKET 5196-01 FSP

UTILITY App Tr; Fee

Sheets Drawings; Declaration (2 pgs); Power of Atty; Asmt.

Tr (in duplciate); Specification (8 pgs);

Papers (4 pgs); PTO

\$750 to cover fees

1449 and cited ref's. Req. & Cert under 35 USC122(b)(2)(B)(i);

The "Received" Stamp of the a. i & Trademark Office imprinted hereon acknowledges the filing of:

DESCRIPTION UTILITY PAT. APP. OF PAPER:

APPLICANT: GAIL M. CUNNINGHAM

BASED ON PROV. APP. SERIAL NO.: SER. NO. 60/200,122

FILED APRIL 27, 2000

EXPRESS MAIL LABEL EL606427252US

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

DESCRIPTION UTILITY PAT. APP. OF PAPER:

NAME OF APPLICANT: GAIL M. CUNNINGHAM

BASED ON PROV. APP. INTF, OR SERIAL NO. SER. NO. 60/200,122 FILED APRIL 27, 2000

O / ATTY.: RCC 2671.3047.002


Tr (in duplciate); Specification (8 pgs); Sheets Drawings; Declaration (2 pgs); Power of Atty; Asmt. Papers (4 pgs); PTO 1449 and cited ref's. Req. & Cert under 35 USC122(b)(2)(B)(i); \$750 to cover fees

UTILITY App Tr; Fee

DOCKET 5196-01 FSP

J1036 U.S. 09/841518 04/24/01

1-27049



Date: April 29, 2004

Action Taken: Status Inquiry/By Phone

Called PTO Office by Group Art# 1733. Called (571) 272-1215, spoke with Justin R. Fisher. He said he would place some calls to find out the status. But as far as he could tell it had not been docketed.

Justin R. Fisher called back said that he put a "LOST TAG" on the file. It means that they have flagged it for an extensive search. They are looking for the actual paper case filed. He could not give a time frame, but did suggest checking once a week on the PTO website to check the status.

Received another call from PTO, but from another agent, (571) 272-1212 Jeff Aftergut, he is the supervisor for Art Unit 1733. Justin R. Fisher referred him to me. He said the case was scanned as a image case (electronic case) but never got flagged as one. So it doesn't appear in the system as a image case (electronic case) but a paper case.

He reported to the individuals who are supposed to correct it to make it a electronic case and he also looked over the claims and it appears that it's appropriate for class 137 with Art Unit No. 3753. This Art Unit relates to fluid flow or fluid handling which is what the independent claim makes reference to.

The supervisor for Art Unit 3753 is David Scherbel. Mr. Aftergut suggests that I call him and see if he'll assign the case to someone over there. His number is (703) 308-1272.

Called Mr. Scherbel left message to call back. 4/29/04

Called Mr. Scherbel 5/10/04. He said that the case as of yet has not been assigned to anyone. A Transfer Request has been made for the case. He believes it is still marked as a paper case instead of an electronic case. Said to call back May 18th to check the status.

Called Mr. Scherbel 5/18/04. Mr. Scherbel says that case has not been transferred to his department. He thinks that it is still "Lost". He is going to contact Mr. Aftergut in Dept. 1733 to see if they have the paper case filed away someplace. Mr. Scherbel thinks that Mr. Aftergut believes the case was converted to an electronic case, but he believes it never was converted. Mr. Scherbel says he'll contact me to give the status of this case.

Called Mr. Scherbel 8/20/04 He says that he is not sure what is going on with this case, but he believes that the class unit was changed from 137 to 138. He will look into it.

Called Mr. Scherbel 10/26/04 Called Mr. Scherbel left voice mail message asking him to call back. Regarding status of 09/841,518

OIPE)

FEB 1 1 20.

The "Received" Stamp of the Patent And Trademark Office imprinted hereon acknowledges the filing of:

Description of paper: Petition (4pgs), Certificate of Mailing, 1st Inquiry Filing Receipt, 2nd Inquiry Filing Receipt, Notes from Telephone Inquiry (2pgs), Filing Receipt from PTO, Copy of Application; Text (8pgs), Drawing (3pgs), Filing Receipt, Application Transmittal, Fee Transmittal, Request for Certification, Declaration, Power of Attorney and Information Disclosure Statement

Name of Applicant: Gail M. Cunningham

Serial No.: 09/841,518

Date: 10/29/04 Attorney: RCC/dc

Client Code: 5196-01 FSP (Dana 2671.3047.7002)

The "Received" Stamp of the Patent & Trademark Office imprinted hereon acknowledges the filing of:

Description of paper: Petition (4pgs), Certificate of Mailing, 1st Inquiry Filing Receipt, 2nd Inquiry Filing Receipt, Notes from Telephone Inquiry (2pgs), Filing Receipt from PTO, Copy of Application; Text (8pgs), Drawing (3pgs), Filing Receipt, Application Transmittal, Fee Transmittal, Request for Certification, Declaration, Power of Attorney and Information Disclosure Statement

NOV 0 3 200

Name of Applicant: Gail M. Cunningham

Serial No.: 09/841,518

Date: 10/29/04 Attorney: RCC/dc

Client Code: 5196-01 FSP (Dana 2671.3047.7002)